

Amendments to the Claims:

This listing of claims replaces all prior versions and listings of claims in the application.

Listing of Claims: 1. (Currently amended) A non-woven soft tissue implant comprising a porous biocompatible film having a plurality of cells, a thickness of less than about 0.015 inches, and a surface area ratio less than 1.5, wherein each of the cells in the plurality of cells has a plurality of undulating elements.

2. (Previously presented) The non-woven soft tissue implant of claim 1, wherein the porous biocompatible film comprises a non-absorbable polymer or copolymer.

3. (Previously presented) The non-woven soft tissue implant of claim 2, wherein the non-absorbable polymer or copolymer comprises polypropylene, polyethylene terephthalate, polytetrafluoroethylene, polyaryletherketone, nylon, fluorinated ethylene propylene, polybutester, or silicone.

4. (Previously presented) The non-woven soft tissue implant of claim 1, wherein the porous biocompatible film comprises an absorbable polymer or copolymer.

5. (Previously presented) The non-woven soft tissue implant of claim 4, wherein the absorbable polymer or copolymer comprises polyglycolic acid (PGA), polylactic acid (PLA), polycaprolactone, or polyhydroxyalkanoate.

6. (Previously presented) The non-woven soft tissue implant of claim 1, wherein the porous biocompatible film comprises a biological material.

7. (Previously presented) The non-woven soft tissue implant of claim 6, wherein the biological material is collagen.

8. (Previously presented) The non-woven soft tissue implant of claim 1, wherein the implant has a surface area ratio of about 1.00.

9. (Previously presented) The non-woven soft tissue implant of claim 1, wherein one or more of the cells in the plurality of cells has a diameter, measured along the longest axis of the cell, of about  $10\ \mu$  to about  $10,000\ \mu$ .

10. (Previously presented) The non-woven soft tissue implant of claim 9, wherein one or more of the cells in the plurality of cells has a diameter, measured along the longest axis of the cell, of about  $1,500\ \mu$  to about  $5,000\ \mu$ .

11. (Previously presented) The non-woven soft tissue implant of claim 9, wherein one or more of the cells in the plurality of cells has a diameter, measured along the longest axis of the cell, of about  $50\ \mu$  to about  $100\ \mu$ .

12. (Previously presented) The non-woven soft tissue implant of claim 1, wherein one or more of the cells of the plurality are essentially square, rectangular, or diamond-shaped.

13. (Canceled) The non-woven soft tissue implant of claim 1, wherein one or more of the cells of the plurality are essentially round or oval-shaped.

14. (Previously presented) The non-woven soft tissue implant of claim 1, wherein one or more of the cells of the plurality have essentially the same shape as the cell shown in Mesh2, Mesh2C, Mesh3, or Mesh4.

15. (Previously presented) The non-woven soft tissue implant of claim 1, wherein the thickness of the porous biocompatible film is less than about 0.014 inches, less than about 0.013 inches, less than about 0.012 inches, less than about 0.011 inches, less than about 0.010 inches,

less than about 0.009 inches, less than about 0.008 inches, less than about 0.007 inches, less than about 0.006 inches, less than about 0.005 inches, less than about 0.004 inches, less than about 0.003 inches, less than about 0.002 inches, or is about 0.001 inch.

16. (Previously presented) The non-woven soft tissue implant of claim 1, wherein the porous biocompatible film has atraumatic edges.

17. (Previously presented) The non-woven soft tissue implant of claim 1, wherein the porous biocompatible film is at least about 2.5 cm long along a first side and no more than about 45.0 cm long along a second side.

18. (Previously presented) The non-woven soft tissue implant of claim 1, wherein the implant is flexible along two axes.

19. (Currently amended) The non-woven soft tissue implant of claim 18, wherein the plurality of cells comprises a cell pattern containing undulating elements comprising a sinusoidal element.

20. (Previously presented) The non-woven soft tissue implant of claim 18, wherein each of the cells in the plurality of cells has a plurality of undulating elements in the form of a repeating pattern.

21. (Previously presented) The non-woven soft tissue implant of claim 20, wherein the undulating elements are in phase.

22. (Previously presented) The non-woven soft tissue implant of claim 1, wherein the cells in the plurality of cells have a diameter greater than 50  $\mu$  and the non-woven soft tissue implant has force displacement characteristics that do not restrict tissue movement.

23. (Previously presented) The non-woven soft tissue implant of claim 22, wherein the implant can be distended by 25% or more at 16 N/cm.

24. (Previously presented) The non-woven soft tissue implant of claim 23, wherein the pattern of the plurality of cells imparts force displacement characteristics that approximate those of the structure being repaired.

25. (Previously presented) The non-woven soft tissue implant of claim 1, wherein the plurality of cells are uniformly shaped.

26. (Previously presented) A non-woven soft tissue implant comprising a first porous biocompatible film having a plurality of cells and a second porous biocompatible film having a plurality of cells, wherein the thickness of the implant is less than about 0.015 inches and the first film and/or the second film are axially oriented.

27. (Previously presented) The non-woven soft tissue implant of claim 26, wherein the first film and the second film consist of the same material or materials.

28. (Previously presented) The non-woven soft tissue implant of claim 26, wherein the first film and the second film consist of different materials.

29. (Previously presented) The non-woven soft tissue implant of claim 28, wherein the first film or the second film includes a bioresorbable material and the rate at which the first film is resorbed within a body is different from the rate at which the second film is resorbed within the body.

30. (Previously presented) The non-woven soft tissue implant of claim 26, wherein the first film and the second film are of substantially the same size and a surface of the first film adheres to a surface of the second film.

31. (Previously presented) The non-woven soft tissue implant of claim 26, wherein the first or the second porous biocompatible film comprises a non-absorbable polymer or copolymer.

32. (Previously presented) The non-woven soft tissue implant of claim 31, wherein the non-absorbable polymer or copolymer comprises polypropylene, polyethylene terephthalate, polytetrafluoroethylene, polyaryletherketone, nylon, fluorinated ethylene propylene, polybutester, silicone, polyethylene, or a copolymer of polyethylene and polypropylene.

33. (Previously presented) The non-woven soft tissue implant of claim 26, wherein the first or the second porous biocompatible film comprises an absorbable polymer or copolymer.

34. (Previously presented) The non-woven soft tissue implant of claim 33, wherein the absorbable polymer or copolymer is PGA, PLA, polycaprolactone, or polyhydroxyalkanoate.

35. (Previously presented) The non-woven soft tissue implant of claim 26, wherein the first or the second porous biocompatible film comprises a biological material.

36. (Previously presented) The non-woven soft tissue implant of claim 35, wherein the biological material is collagen.

37. (Previously presented) The non-woven soft tissue implant of claim 26, wherein the surface area ratio of the first film or the second film is about 1.00.

38. (Previously presented) The non-woven soft tissue implant of claim 26, wherein the first film or the second film comprises a cell or a uniform plurality of cells having a diameter, measured along the longest axis of the cell(s), of about 10  $\mu$  to about 10,000  $\mu$ ; of about 1,500  $\mu$  to about 5,000  $\mu$ ; or of about 50  $\mu$  to about 100  $\mu$ .

39. (Previously presented) The non-woven soft tissue implant of claim 26, wherein the first film or the second film comprises a cell that is essentially square, rectangular, or diamond-shaped.

40. (Previously presented) The non-woven soft tissue implant of claim 26, wherein the first film or the second film comprises a cell that is essentially round or oval-shaped.

41. (Previously presented) The non-woven soft tissue implant of claim 26, wherein the first film or the second film comprises a cell having essentially the same shape as the cells of Mesh2, Mesh2A, Mesh3, or Mesh4.

42. (Previously presented) The non-woven soft tissue implant of claim 26, wherein the thickness of the implant is less than about 0.014 inches, less than about 0.013 inches, less than about 0.012 inches, less than about 0.011 inches, less than about 0.010 inches, less than about 0.009 inches, less than about 0.008 inches, less than about 0.007 inches, less than about 0.006 inches, less than about 0.005 inches, less than about 0.004 inches, less than about 0.003 inches, less than about 0.002 inches, or is about 0.001 inch.

43. (Previously presented) The non-woven soft tissue implant of claim 26, wherein the first and second films have atraumatic edges.

44. (Previously presented) The non-woven soft tissue implant of claim 26, wherein the implant is at least about 2.5 cm long along a first side and no more than about 30.0 cm long along a second side.

45. (Previously presented) The non-woven soft tissue implant of claim 26, further comprising a film that increases tear resistance.

46. (Previously presented) The non-woven soft tissue implant of claim 45, wherein the film that increases tear resistance is a porous biocompatible film.

47. (Previously presented) The non-woven soft tissue implant of claim 26, wherein the implant is flexible along two axes or is biaxially oriented.

48. (Previously presented) The non-woven soft tissue implant of claim 26, wherein the plurality of cells in the first biocompatible film or the plurality of cells in the second biocompatible film comprises a cell pattern containing a sinusoidal element.

49. (Previously presented) The non-woven soft tissue implant of claim 26, wherein each of the cells in the plurality of cells in the first biocompatible film or the second biocompatible film has a plurality of undulating elements in the form of a repeating pattern.

50. (Previously presented) The non-woven soft tissue implant of claim 49, wherein the undulating elements are in phase.

51. (Previously presented) The non-woven soft tissue implant of claim 26, wherein the cells in the plurality of cells in the first biocompatible film or the second biocompatible film have a diameter greater than 50  $\mu$  and the non-woven soft tissue implant has force displacement characteristics that do not restrict tissue movement when placed in a body.

52. (Previously presented) The non-woven soft tissue implant of claim 51, wherein the implant can be distended by 25% or more at 16 N/cm.

53. (Previously presented) The non-woven soft tissue implant of claim 52, wherein the pattern of the plurality of cells imparts force displacement characteristics that approximates those of the structure being repaired.

54. (Previously presented) The non-woven soft tissue implant of claim 26, wherein the implant has a surface area ratio less than 1.5.

55. (Previously presented) A method for producing a soft tissue implant, the method comprising: (a) extruding a biocompatible polymer into a film and (b) forming a plurality of cells in the film; wherein the method may further comprise the optional step of cleaning the implant.

56. (Previously presented) A method for producing a soft tissue implant, the method comprising: (a) extruding a biocompatible polymer into a film; (b) stretching the film and (c) forming pores in the film to produce a soft tissue implant; wherein the method may further comprise the optional step of cleaning the implant.

57. (Previously presented) A method for producing a soft tissue implant, the method comprising: (a) extruding a first biocompatible polymer to form a first film; (b) extruding a second biocompatible polymer to form a second film; (c) attaching the first film to the second film to produce a soft tissue implant; and (d) forming pores in the soft tissue implant; wherein the method may further comprise the optional step of cleaning the implant.

58. (Previously presented) A method for producing a soft tissue implant, the method comprising: (a) extruding a first biocompatible polymer to form a first film; (b) forming pores or



cell patterns in the first film; (c) extruding a second biocompatible polymer to form a second film; (d) forming pores in the second film and attaching the first film to the second film to produce a soft tissue implant; wherein the method may further comprise the optional step of cleaning the implant.

59. (Amended) A non-woven soft tissue implant comprising a first porous biocompatible film having a plurality of cells and a second porous biocompatible film having a plurality of cells, wherein the cells of the first and second biocompatible films are uniformly patterned, the thickness of the implant is less than about 0.015 inches, and the first film and the second film consist of the same material or are of substantially the same thickness.

60. (Previously presented) The non-woven soft tissue implant of claim 59, wherein the first film and the second film comprise a bioresorbable material.

61. (Previously presented) The non-woven soft tissue implant of claim 59, wherein the first film and the second film are of substantially the same size and a surface of the first film adheres to a surface of the second film.

62. (Previously presented) The non-woven soft tissue implant of claim 59, wherein the first or the second porous biocompatible film are the same and each comprises a non-absorbable polymer or copolymer.

63. (Previously presented) The non-woven soft tissue implant of claim 62, wherein the non-absorbable polymer or copolymer comprises polypropylene, polyethylene terephthalate, polytetrafluoroethylene, polyaryletherketone, nylon, fluorinated ethylene propylene, polybutester, silicone, polyethylene, or a copolymer of polyethylene and polypropylene.

64. (Previously presented) The non-woven soft tissue implant of claim 59, wherein the first or the second porous biocompatible film comprises an absorbable polymer or copolymer.

65. (Previously presented) The non-woven soft tissue implant of claim 64, wherein the absorbable polymer or copolymer is PGA, PLA, polycaprolactone, or polyhydroxyalkanoate.

66. (Previously presented) The non-woven soft tissue implant of claim 59, wherein the first or the second porous biocompatible film comprises a biological material.

67. (Previously presented) The non-woven soft tissue implant of claim 66, wherein the biological material is collagen.

68. (Previously presented) The non-woven soft tissue implant of claim 59, wherein the surface area ratio of the first film or the second film is about 1.00.

69. (Previously presented) The non-woven soft tissue implant of claim 59, wherein the first film or the second film comprises a cell or a uniform plurality of cells having a diameter, measured along the longest axis of the cell(s) of about 10  $\mu$  to about 10,000  $\mu$ ; of about 1,500  $\mu$  to about 5,000  $\mu$ ; or of about 50  $\mu$  to about 100  $\mu$ .

70. (Previously presented) The non-woven soft tissue implant of claim 59, wherein the first film or the second film comprises a cell that is essentially square, rectangular, or diamond-shaped.

71. (Previously presented) The non-woven soft tissue implant of claim 59, wherein the first film or the second film comprises a cell that is essentially round or oval-shaped.

72. (Previously presented) The non-woven soft tissue implant of claim 59, wherein the first film or the second film comprises a cell having essentially the same shape as the cells of Mesh2, Mesh2A, Mesh3, or Mesh4.

73. (Previously presented) The non-woven soft tissue implant of claim 59, wherein the thickness of the implant is less than about 0.014 inches, less than about 0.013 inches, less than about 0.012 inches, less than about 0.011 inches, less than about 0.010 inches, less than about 0.009 inches, less than about 0.008 inches, less than about 0.007 inches, less than about 0.006 inches, less than about 0.005 inches, less than about 0.004 inches, less than about 0.003 inches, less than about 0.002 inches, or is about 0.001 inch.

74. (Previously presented) The non-woven soft tissue implant of claim 59, wherein the first and second films have atraumatic edges.

75. (Previously presented) The non-woven soft tissue implant of claim 59, wherein the implant is at least about 2.5 cm long along a first side and no more than about 30.0 cm long along a second side.

76. (Previously presented) The non-woven soft tissue implant of claim 59, further comprising a film that increases tear resistance.

77. (Previously presented) The non-woven soft tissue implant of claim 76, wherein the film that increases tear resistance is a porous biocompatible film.

78. (Previously presented) The non-woven soft tissue implant of claim 59, wherein the plurality of cells in the first biocompatible film or the plurality of cells in the second biocompatible film comprises a cell pattern containing a sinusoidal element.

79. (Previously presented) The non-woven soft tissue implant of claim 59, wherein each of the cells in the plurality of cells in the first biocompatible film or the second biocompatible film has a plurality of undulating elements in the form of a repeating pattern.

80. (Previously presented) The non-woven soft tissue implant of claim 79, wherein the undulating elements are in phase.

81. (Previously presented) The non-woven soft tissue implant of claim 59, wherein the cells in the plurality of cells in the first biocompatible film or the second biocompatible film have a diameter greater than  $50\ \mu$  and the non-woven soft tissue implant has force displacement characteristics that do not restrict tissue movement when placed in a body.

82. (Previously presented) The non-woven soft tissue implant of claim 59, wherein the implant can be distended by 25% or more at 16 N/cm.

83. (Previously presented) The non-woven soft tissue implant of claim 82, wherein the pattern of the plurality of cells imparts force displacement characteristics that approximates those of the structure being repaired.

84. (Previously presented) The non-woven soft tissue implant of claim 59, wherein the implant has a surface area ratio less than 1.5.